


## Conditions

**Column:** ACE UltraCore 2.5 SuperC18  
**Dimensions:** 100 x 3.0 mm; 2 x 100 x 3.0 mm (coupled); 3 x 100 x 3.0 mm (coupled)  
**Part Number:** CORE-25A-1003U  
**Mobile Phase:** A: 0.1% formic acid in H<sub>2</sub>O  
 B: 0.1% formic acid in MeCN

	Time (mins)			%B
	100 x 3.0 mm	200 x 3.0 mm	300 x 3.0 mm	
	-	0.00	0.00	5
	0.00	0.36	0.71	5
	10.00	20.36	30.71	70
	11.00	22.36	33.71	95
	13.00	26.36	39.71	95
	14.00	28.36	42.71	5
	22.00	44.36	66.71	5

**Flow Rate:** 0.8 mL/min  
**Injection:** 2 µL (100 x 3.0 mm); 4 µL (200 x 3.0 mm); 6 µL (300 x 3.0 mm)  
**Temperature:** 80 °C  
**Detection:** UV, 203 nm  
**Sample:** 5 x 75 mg tablets ground to fine powder and extracted with 10.0 mL MeCN/H<sub>2</sub>O (1:1 v/v) for 15 minutes with ultrasonication. 100 µL supernatant diluted with 300 µL water and filtered using a Whatman Mini-Uniprep syringeless filter  
**System:** Chromaster Ultra Rs



Available from



LCC Engineering &amp; Trading GmbH

Steinbruchstrasse 4, CH-4622 Egerkingen, Switzerland

Tel.: +41 62 398 5271, Fax.: +41 62 398 5274

info@chemsupply.ch

www.chromatographyshop.com